

DEPARTMENT OF EDUCATION

Region X-Northern Mindanao

DIVISION OF MALAYBALAY CITY

Sayre Highway, Casisang, Malaybalay City Telefax: (088)314-0094

website: www.depedmalaybalay.net email: depedmalaybalay@gmail.com



2016-4-202

APR 2 5 2016 Time:

	Ę.	Deped-MALAYBALAY CITY DIVISION
ION MEMORANDUM		RELEASED

No. 202 , s. 2016

No. <u>202</u> s. 2016

To : PU

PUBLIC SCHOOLS DISTRICT SUPERVISORS

ELEMENTARY AND SECONDARY SCHOOL HEADS

This Division

From:

EDILBERTO L. OPLENARIA, CESO VI

NOIC, Schools Division Superintendent

Date

April 25, 2016

Re

DISSEMINATION OF UNNUMBERED DEPED MEMORANDUM RE: REVISED

INSPECTION AND ACCEPTANCE REPORT

1. For the information and guidance of all concerned, this Office hereby disseminates the herein Unnumbered DepEd Memorandum dated March 1, 2016 re: Revised Inspection and Acceptance Report, content of which is self-explanatory.

2. For information and immediate dissemination.



Republic of the Philippines

Department of ContationINFORMATION AND COMMUNICATIONS TECHNOLOGY SERVICE

Pasig City, Philippines

MEMORANDUM

FOR

:

REGIONAL DIRECTORS AND SCHOOLS DIVISION SUPERINTENDENTS

THRU

:

:

REGIONAL AND DIVISION IT OFFICERS

FROM

A C. YUVIENCO

Director IV

SUBJECT

REVISED INSPECTION AND ACCEPTANCE REPORT

DATE

1 March 2016

The Department of Education through the Information and Communications Technology Service (ICTS) continues to deploy computer packages through the DepEd Computerization Program (DCP).

To ensure the proper deployment of computer packages, the ICTS has revised the procedure and content of the Inspection and Acceptance Report (IAR). Prior to the deployment of computer packages, the ICTS will prepare the IAR and will be sent to the suppliers for reproduction and delivery to the recipient schools for their signature. This new procedure will be implemented effective immediately, starting with the deployment of the DCP batches 26, 27 and 28 computer packages in Regions 7, 8, 9 and 10. Please find attached the revised DCP batches 26, 27 and 28 IARs for reference.

Should there be any questions or concerns, you may contact ICTS at (02)636-4878 or (02)633-7264.

Immediate and wide dissemination of this memorandum is earnestly desired. Thank you.

		Department of Education Agency	
		, rearry	
Supplier	RedDot Ima	aging Philippines LAR #_	
P.O.No:		Date: Invoice No Date:	
Requisitior	ning Office/ I	Dept.	
Stock No.	Unit	Description	Quantity
DCP Batch	Host PC	COBY DPC1835	1
26		Processor: 3.4 Ghz 6 MB L3 cache 4 cores	
	† · · · · · · · · · · · · · · · · · · ·	Memory: 4 GB DDR3 1333/1600 Mhz DIMM	
	 	Hard Disk: 500 GB 7200 rpm (SATA)	
	 	Optical Drive: DVD-/+RW (SATA)	
	1	Monitor: Touch Enabled; Size: minimum 18.5"; LCD or LED; same brand as host Po	1
	 		<u></u>
	 	compatible with Windows Multipoint Server 2012 or higher	· · · · · · · · · · · · · · · · · · ·
	 	Video Card: 1GB DDR3 VRAM	
		Keyboard: at least 104 keys, USB interface Mouse: USB interface w/ mouse pad	
	 	Hard Disk Partitions: 10% (pre-installed Recovery Partition, not active, Primary,	·
	1	Hidden), 40% (System and Software, Primary, Active), 40% (Data, Logical), 10%	i
	<u> </u>	(Pre-installed Image in Standard DVD size, ISO Format, Hidden)	<u> </u>
		with ONE TOUCH RECOVERY KEY (either F1-F12); with recovery discs in DVD	
		with DepED Logo as Desktop background and in the Host PC BIOS	
	Thin Client	SHARE FL300 THIN CLIENT	6
		Mode of Connection: LAN cable	
	 	Ports: (1) VGA monitor port, at least three (3) USB port for keyboard, mouse and	
	!	external device port (PS/2 to USB adaptor is not acceptable), (1) RJ45 port	į
	 	(10/100), (1) Speaker port	·
	 '	Supported Operating systems: Windows Multipoint Server (WMS)	
<u> </u>		with Proprietary virtualization software	
<u> </u>	Monitor	COBY DPC1876	6
	<u> </u>	LED, 18.5" widescreen with VGA cord	
	Keyboard and Mouse	COBY Keyboard and Mouse	6
	3-in-1 inkjet	CANON PIXMA MP237	1
	printer	Paper size: A4, Legal	
		Scanner Type: Flatbed	
		PC Interface: USB 2.0 or high-speed USB	<u> </u>
		Power Voltage: 220-240v 50/60Hz	
		OS Compatible: WMS 2012 or higher version, Windows7 / Windows 8 or higher	
		With driver software CD; Include 1 set ink cartridges and 1 spare	
	Projector	PIXPRO ISHOW X1500	2
		White/Color Brightness Lumens: 2500	
	 	Remote Control with laser pointer or separate remote control and laser pointer,	
l		User's Manual, Carrying case, mounting bracket.	i
 	 	Distriction, Constraint values and the constraint of the constrain	
4		l ,	4

INSPECTION AND ACCEPTANCE REPORT					
	Department of Education				
	Agency				
Supplier	r RedDot Imaging Philippines IAR #				
P.O.No:		Date: Invoice No.	Date:		
Requisition	ning Office/	Dept.			
Stock No.	Unit	Desc	ription	Quantity	
DCP Batch	Projector Screens	Pull-down projector screen and 15meters	VGA cable	1	
26	Screens	Tripod projector screen and standard VG	A cable	1	
	Laptop	COBY NBPC1438		1	
		Microprocessor: 2.1GHz, 3MB L3 cache			
		LAN Support: 10/100/1000 base T, Wi-F	i ready Integrated 802.11 b/g/n		
- ' "		Memory: 4GB (1 x 4GB)			
		Hard Disk: 500GB 5400rpm (SATA)			
		Optical Drive: DVD-/+RW (SATA)			
		Monitor: 14" WXGA (1366 x 768) with	built-in 720p carnera		
		Pointing Device: Touch Pad w/ 2 buttons			
		Pre-loaded Operating System: Windows 8 or higher "Shape the Future" SKU			
		with office applications, antivirus and oth Hard Disk partition: 10% (pre-installed R			
		-	· •		
	Hidden), 40% (System and Software, Primary, Active), 40% (Data, Logical), 10%				
		(Pre-installed Image in Standard DVD si			
		with ONE TOUCH RECOVERY KEY (either F1-F12); with recovery discs in DVD			
		with DepED Logo as Desktop backgroun	d and in the Host PC BIOS	·	
		Laptop Bag with Sling	·		
	Speaker	PIXPRO SOUND BLASTER 818		1	
	UPS	PIXPRO 1000VA	,	1	
	AVR	PIXPRO SVC-1500VA		1	
	Networking	- D 12 Cut 0/ 2 11 11 Cy 1 2 us 0			
	Peripherals	[
		and plastic mouldings for wall and tables crimped on both ends, cable should be en	ough to cover all point to point		
		connections in any e-classroom classroom			
IN	SPECTION		ACCEPTANCE		
Date Inspected:			Date Received		
Inspected, verified and found in order as to Complete					
quantity and specifications					
quantity and specifications			Partial (pls. specify	quantity)	
I	nspection Of	ficer/Inspection Committee	Property Officer		

INSPECTION AND ACCEPTANCE REPORT				
Department of Education				
Agency				
Supplier	RedDot Ims	nging Philippines	IAR#	
orbbiter	KOLOG MIZ	iging Pumppines	17AK #_	
P.O.No:		Date : Invoice No.	Date:	
Requisition	ing Office/	Dept.		
Stock No.	Unit	Desc	ription	Quantity
DCP Batch		COBY DPC1835		8
27	Processor: 3.4 Ghz 6 MB L3 cache 4 cores			-
		Memory: 4 GB DDR3 1333/1600 Mhz DIMM		
		Hard Disk: 500 GB 7200 rpm (SATA)	· · · · · · · · · · · · · · · · · · ·	
		Optical Drive: DVD-/+RW (SATA)	·•··	
			18.5"; LCD or LED; same brand as host PC	
·		compatible with Windows Multipoint Ser		
		Video Card: 1GB DDR3 VRAM	- 01 2012 01 Biggiot	
		Keyboard: at least 104 keys, USB interfac	•	
		Mouse: USB interface w/ mouse pad		
		Hard Disk Partitions: 10% (pre-installed I		
		Hidden), 40% (System and Software, Prin	- · · · · · · · · · · · · · · · · · · ·	
		(Pre-installed Image in Standard DVD size		
	 		either F1-F12); with recovery discs in DVD	
		with DepED Logo as Desktop background	and in the Host PC BIOS	42
	Thin Client	SHARE FL300 THIN CLIENT 42		92
	Mode of Connection: LAN cable Mode of Connection: LAN cable			
		Ports: (1) VGA monitor port, at least three (3) USB port for keyboard, mouse and external device port (PS/2 to USB adaptor is not acceptable), (1) RJ45 port (10/100),		
		(1) Speaker port		
		Supported Operating systems: Windows Multipoint Server (WMS)		
		with Proprietary virtualization software		
	Monitor			42
		LED, 18.5" widescreen with VGA cord		
	Keyboard	1		
	and Mouse	COBY Keyboard and Mouse		42
	3-in-1 inkjet	CANON PIXMA MP237		1
	printer	OS Compatible: WMS 2012 or higher version, Windows7 / Windows 8 or higher		
		With driver software CD; Include 1 set ink cartridges and 1 spare		
	Switch	TENDA 16 10/100/1000		1
	UPS	PIXPRO 1000VA		8
	AVR	PIXPRO SVC-1500VA		7
	Networking	UTP Cat 6: 24 AWG, 4-Pairs		
	Peripherals		ough to cover all point to point connections	
	<u> </u>	in any e-classroom classroom design		
<u>I</u>	SPECTION	<u>1</u>	ACCEPTANCE	
Date Inspe	ected:	·	Date Received	
Toward wife a selfound in order to				
Inspected, verified and found in order as to Complete				
	quantity and specifications Partial (pls. specify quantity			quantity)
			- · · ·	-
I	nspection Off	icer/Inspection Committee	Property Officer	

INSPECTION AND ACCEPTANCE REPORT				
		Department of H	Education	
: :		Agency		
Supplier	RedDot In	maging Philippines	IAR#	
P.O.No:		Date : Invoice No.	Date:	
Dominist and	.i 065	/ David		-
Requisition	nng Office	/ Dept.		
Stock No.	Unit	Desc	ription	Quantity
DCP Batch	Projector	PIXPRO iSHOW X1500		1
28		Projector screen: Minimum 70" x 70"	color white (excluding the border)	
		White/Color Brightness Lumens: 2500		
		Remote Control with laser pointer or sept	- ·	
	Laptop	User's Manual, Carrying case, mounting COBY NBPC1438	oracket.	1
	raptob	Microprocessor: 2.1GHz, 3MB L3 cache		
		LAN Support: 10/100/1000 base T, Wi-F		
		Memory: 4GB (1 x 4GB)	Trouby Integrated Court in gri	
		Hard Disk: One (1) TB 5400rpm (SATA)		
 -		Optical Drive: DVD-/+RW (SATA)		
		Monitor: 14" WXGA (1366 x 768) with	built-in 720p camera	
		Pointing Device: Touch Pad w/ 2 buttons		
		Pre-loaded Operating System: Windows		
		with office applications, antivirus and other Hard Disk partition: 10% (pre-installed R	er instructional materials	
i		Hidden), 40% (System and Software, Pri		
<u>-</u>		(Pre-installed Image in Standard DVD size, ISO Format, Hidden)		
		with ONE TOUCH RECOVERY KEY (either F1-F12); with recovery discs in DVD		
		with DepED Logo as Desktop background and in the Host PC BIOS		
· - · · · · · ·		Laptop Bag with Sling		
	Speaker	PIXPRO SOUND BLASTER 818	<u> </u>	1
		2.1, branded and brand new		
		AC input Voltage: 220 - 240 V		
		Frequency Response: min 40Hz ~ 20 kl	<u>iz </u>	
TN.	SPECTIO)N	ACCEPTANCE	L.,
11	DI ECTIC			
Date Inspe	ected:		Date Received	
Inspected, verified and found in order as to quantity and specifications			Complete Partial (pls. specify	quantity)
]	Inspection C	Officer/Inspection Committee	Property Officer	